

WEIGHT 10 KG

Nasal Trumpet	18	Suction Catheters	8 Fr
Oral Airway	60	Nasogastric Tubes	10 Fr
Intubation Blades	Miller 2, Mac 1	Foley Size	8-10 Fr
Endotracheal Tubes	4.0	Chest Tubes	12 Fr
Cardioversion #1	0.5joules/kg <u>5 J</u>	Defibrillation #1	2joules/kg <u>20 J</u>
(synchronized) #2	1joules/kg <u>10 J</u>	(asynchronized) #2	4joules/kg <u>50 J</u>
#3	2joules/kg <u>20 J</u>	#3	4joules/kg <u>50 J</u>
ADENOSINE	(3mg/ml) 100mcg/kg 100mcg x <u>10 kg</u> = 1000mcg = <u>0.33 MLS</u> (3000mcg/ml)		
AMIODARONE	(50 mg/ml) 5mg/kg 5mg x <u>10 kg</u> = 50 mg = <u>1 MLS</u> (Bolus for VF or pulseless VT ONLY, over 20 to 60 min for VT with pulse)		
ATROPOINE	(0.1mg/ml) 0.02mg/kg 0.02mg x <u>10 kg</u> = 0.2 mg = <u>2 MLS</u> Minimum Dose: 0.1mg or 1ml / Maximum dose: 2 mg or 20 mls		
CA. CHLORIDE 10%	(100mg/ml) 20mg/kg 20mg x <u>10 kg</u> = 200 mg = <u>2 MLS</u>		
EPINEPHRINE 1:10,000	(0.1mg/ml) 0.01mg/kg 0.01mg x <u>10 kg</u> = 0.1 mg = <u>1 MLS</u> (ALL IV DOSES, may increase dosage for pulseless rhythms)		
EPINEPHRINE 1:1,000	(1mg/ml) 0.1mg/kg 0.1mg x <u>10 kg</u> = 1 mg = <u>1 MLS</u> (ALL ETT DOSES ONLY)		
GLUCOSE--D25%	(250mg/ml) 0.5gm/kg 0.5gm x <u>10 kg</u> = 5 gms = <u>20 MLS</u>		
HCO3-8.4%	(1meq/ml) 1meq/kg 1meq x <u>10 kg</u> = 10 meq = <u>10 MLS</u>		
LIDOCAINE	(20mg/1mls) 1mg/kg 1mg x <u>10 kg</u> = 10 mg = <u>0.5 MLS</u>		
MAGNESIUM	(500mg/ml) 25mg/kg 25mg x <u>10 kg</u> = 250 mg = <u>0.5 MLS</u>		
NALOXONE (NARCAN)	(1mg/ml) 0.1mg/kg 0.1mg x <u>10 kg</u> = 1 mg = <u>1 MLS</u>		
FLUMAZENIL	(0.1mg/ml) 0.01mg/kg 0.01mg x <u>10 kg</u> = 0.1 mg = <u>1 MLS</u>		
DILANTIN	(50mg/ml) 20mg/kg 20mg x <u>10 kg</u> = 200 mg = <u>4 MLS</u>		
FENTANYL	(50mcg/ml) 1mcg/kg 1mcg x <u>10 kg</u> = 10 mcg = <u>0.2 MLS</u>		
KETAMINE	(10mg/ml) 1mg/kg 1mg x <u>10 kg</u> = 10 mg = <u>1 MLS</u>		
THIOPENTAL	(25mg/ml) 2mg/kg 2mg x <u>10 kg</u> = 20 mg = <u>0.8 MLS</u>		
VERSED	(1mg/ml) 0.1mg/kg 0.1mg x <u>10 kg</u> = 1 mg = <u>1 MLS</u>		
ROCURONIUM	(10mg/ml) 1mg/kg 1mg x <u>10 kg</u> = 10 mg = <u>1 MLS</u>		
VECURONIUN	(dilute 10mg/vial) 0.1mg/kg 0.1mg x <u>10 kg</u> = 1 mg = <u>1 MLS</u> (with 10 ml sterile water = 1mg/ml)		

10 KG DRIP CALCULATIONS VASOCONSTRICTOR / INOTROPIC MEDICATIONS

MEDICATION (concentration)		*****																		
DOBUTAMINE	(1 mg/ml)	(Premixed bag = 250 mg/250 ml D5W)																		
Dosage:	mcg/kg/min	*****																		
ml/hr	1 2 3 4	0.6 1.2 1.8 2.4	5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	3 3.6 4.2 4.8 5.4 6 6.6 7.2 7.8 8.4 9 9.6 10.2 10.8 11.4 12																
DOBUTAMINE	(2 mg/ml)	*** In a Code 99 situation, this concentration is in the crash cart in a pre-mixed IV bag. ***																		
Dosage:	mcg/kg/min	(Premixed bag = 500 mg/250 ml D5W)																		
ml/hr	1 2 3 4	0.3 0.6 0.9 1.2	5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	1.5 1.8 2.1 2.4 2.7 3 3.3 3.6 3.9 4.2 4.5 4.8 5.1 5.4 5.7 6																
MEDICATION (concentration)		*****																		
DOPAMINE	(0.8 mg/ml)	(Premixed bag = 200 mg/250 ml D5W)																		
Dosage:	mcg/kg/min	*****																		
ml/hr	1 2 3 4	0.8 1.5 2.3 3	5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	3.8 4.5 5.3 6 6.8 7.5 8.3 9 9.8 10.5 11.3 12 12.8 13.5 14.3 15																
DOPAMINE	(1.6 mg/ml)	*** In a Code 99 situation, this concentration is in the crash cart in a pre-mixed IV bag. ***																		
Dosage:	mcg/kg/min	(Premixed bag = 400 mg/250 ml D5W)																		
ml/hr	1 2 3 4	0.4 0.8 1.1 1.5	5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	1.9 2.3 2.6 3 3.4 3.8 4.1 4.5 4.9 5.3 5.6 6 6.4 6.8 7.1 7.5																
DOPAMINE	(3.2 mg/ml)	(Premixed bag = 800 mg/250 ml D5W)																		
Dosage:	mcg/kg/min	*****																		
ml/hr	1 2 3 4	0.2 0.4 0.6 0.8	5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	0.9 1.1 1.3 1.5 1.7 1.9 2.1 2.3 2.4 2.6 2.8 3 3.2 3.4 3.6 3.8																
***	MEDICATION	(concentration)																		
EPINEPHRINE / ISOPROTERENOL / PHENYLEPHRINE		(0.02 mg/ml)																		
Dosage:	mcg/kg/min	*****																		
ml/hr	0.05 0.06 0.07 0.08 0.09 0.1	1.5 1.8 2.1 2.4 2.7 3	0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7	0.5 0.6 0.7 0.8 0.9 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2																
EPINEPHRINE / ISOPROTERENOL / PHENYLEPHRINE		(0.05 mg/ml)																		
Dosage:	mcg/kg/min	*****																		
ml/hr	0.05 0.06 0.07 0.08 0.09 0.1	0.6 0.7 0.8 1 1.1 1.2	0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8	3.6 4.8 6 7.2 8.4 9.6 10.8 12 18 24 30 45 60																
EPINEPHRINE	(0.1 mg/ml)	** In a Code 99 situation, draw up 45 ml's of D5W in a 60 ml syringe and add 5 ml's of 1:1,000 Epinephrine (vial) for a final concentration of 0.1 mg/ml. **																		
Dosage:	mcg/kg/min	*****																		
ml/hr	0.05 0.06 0.07 0.08 0.09 0.1	0.3 0.4 0.4 0.5	0.2 0.3 0.4 0.5 0.6 1.2	0.4 0.5 0.6 0.7 0.8 1.8 2.4 3 3.6 4.2 4.8 5.4 6 9 12																

10 KG DRIP CALCULATIONS VASOCONSTRICTOR / INOTROPIC MEDICATIONS

*****	MEDICATION	(concentration)	*****																		
	MILRINONE	(0.1 mg/ml)																			
		Dosage: mcg/kg/min																			
	ml/hr	0.1 0.2 0.25 0.3 0.35 0.4 0.45 0.5 0.55 0.6 0.65 0.7 0.75 0.8 0.85 0.9 0.95 1	0.6 1.2 1.5 1.8 2.1 2.4 2.7 3 3.3 3.6 3.9 4.2 4.5 4.8 5.1 5.4 5.7 6																		
	MILRINONE	(0.2 mg/ml)	(Premixed bag = 40 mg/200 ml D5W)																		
		Dosage: mcg/kg/min																			
	ml/hr	0.1 0.2 0.25 0.3 0.35 0.4 0.45 0.5 0.55 0.6 0.65 0.7 0.75 0.8 0.85 0.9 0.95 1	0.3 0.6 0.8 0.9 1.1 1.2 1.4 1.5 1.7 1.8 2.0 2.1 2.3 2.4 2.6 2.7 2.9 3																		
***	MEDICATION	(concentration)	*****																		
	NOREpinephrine	(0.02 mg/ml)																			
		Dosage: mcg/kg/min																			
	ml/hr	0.05 0.06 0.07 0.08 0.09 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 1.5 2	1.5 1.8 2.1 2.4 2.7 3 6 9 12 15 18 21 24 27 30 45 60																		
	NOREpinephrine	(0.04 mg/ml)																			
		Dosage: mcg/kg/min																			
	ml/hr	0.05 0.06 0.07 0.08 0.09 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 1.5 2	0.8 0.9 1.1 1.2 1.4 1.5 3 4.5 6 7.5 9 10.5 12 13.5 15 22.5 30																		

10 KG DRIP CALCULATIONS ANTIARRHYTHMIC

*****	MEDICATION	(concentration)	*****																	
		*** In a Code 99 situation, draw up 48 ml's of D5W in a 60 cc syringe and add 1.8 ml's of Amiodarone for a concentration of 1.8 mg/ml. ***																		
	AMIODARONE	(1.8 mg/ml)																		
		Dosage: mcg/kg/min																		
	ml/hr	5 6 7 8 9 10 11 12 13 14 15	1.7 2 2.3 2.7 3 3.3 3.7 4 4.3 4.7 5																	
*****	MEDICATION	(concentration)	*****																	
		*** In a Code 99 situation, this concentration is in the crash cart in a pre-mixed IV bag. ***																		
	LIDOCAINE	(4 mg/ml)	(Premixed bag = 2 grams/500 ml D5W)																	
		Dosage: mcg/kg/min																		
	ml/hr	10 15 20 25 30 35 40 45 50	1.5 2.3 3 3.8 4.5 5.3 6 6.8 7.5																	

10 KG DRIP CALCULATIONS FOR VASODILATOR/ANTIHYPERTENSIVE MEDICATIONS

***** MEDICATION		(concentration)										*****														
NICARDIPIINE	(1 mg/ml)	*****															*****									
Dosage:	mcg/kg/min	*****															*****									
ml/hr	0.5 1 1.5 2 2.5 3 3.5 4 4.5 5	*****															*****									
ml/hr	0.3 0.6 0.9 1.2 1.5 1.8 2.1 2.4 2.7 3	*****															*****									
***** MEDICATION		(concentration)										*****														
NITROPRUSSIDE	(1 mg/ml)	*****															*****									
Dosage:	mcg/kg/min	*****															*****									
ml/hr	0.5 1 1.5 2 2.5 3 3.5 4 4.5 5 5.5 6 6.5 7 7.5 8	*****															*****									
ml/hr	0.3 0.6 0.9 1.2 1.5 1.8 2.1 2.4 2.7 3 3.3 3.6 3.9 4.2 4.5 4.8	*****															*****									
***** MEDICATION		(concentration)										*****														
NITROGLYCERIN	(0.8 mg/ml)	*****															*****									
Dosage:	mcg/kg/min	*****															*****									
ml/hr	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	*****															*****									
ml/hr	0.8 1.5 2.3 3 3.8 4.5 5.3 6 6.8 7.5 8.3 9 9.8 10.5 11.3 12 12.8 13.5 14.3 15	*****															*****									

10 KG DRIP CALCULATIONS FOR PROSTAGLANDIN E

***** MEDICATION		(concentration)										*****														
PROSTAGLANDIN E	(0.01 mg/ml)	*****															*****									
Dosage:	mcg/kg/min	*****															*****									
ml/hr	0.01 0.02 0.03 0.04 0.05 0.06 0.07 0.08 0.09 0.1 0.15 0.2 0.25 0.3 0.35 0.4	*****															*****									
ml/hr	0.6 1.2 1.8 2.4 3 3.6 4.2 4.8 5.4 6 9 12 15 18 21 24	*****															*****									

10 KG DRIP CALCULATIONS CALCIUM CHLORIDE

***** MEDICATION		(concentration)		*****								
CALCIUM CHLORIDE	(10 mg/ml)	*****									*****	
	Dosage: mg/kg/hour	1	2	3	4	5						
ml/hr		1	2	3	4	5						

CALCIUM CHLORIDE	(50 mg/ml)
	Dosage: mg/kg/hour
	1 2 3 4 5
ml/hr	0.2 0.4 0.6 0.8 1

10 KG DRIP CALCULATIONS FENTANYL AND VERSED

***** MEDICATION		(concentration)		*****								
FENTANYL	(25 mcg/ml = 0.025 mg/ml)	*****									*****	
	Dosage: mcg/kg/hour	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5	
ml/hr		0.2	0.4	0.6	0.8	1	1.2	1.4	1.6	1.8	2	

FENTANYL	(50 mcg/ml = 0.05 mg/ml)
	Dosage: mcg/kg/hour
	0.5 1 1.5 2 2.5 3 3.5 4 4.5 5
ml/hr	0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1

***** MEDICATION		(concentration)		*****								
VERSED	(1 mg/ml)	*****									*****	
	Dosage: mg/kg/hour	0.05	0.1	0.15	0.2	0.25	0.3	0.35	0.4	0.45	0.5	
ml/hr		0.5	1	1.5	2	2.5	3	3.5	4	4.5	5	

VERSED	(5 mg/ml)
	Dosage: mg/kg/hour
	0.05 0.1 0.15 0.2 0.25 0.3 0.35 0.4 0.45 0.5
ml/hr	0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1